

LED STRINGLIGHTS

KEY BENEFITS

- Energy saving device for a greener footprint.
- 15 times more energy efficient than traditional incandescent stringlights.
- Significant cost savings and reduced downtime from not having to buy and replace bulbs or lights.
- Incredibly durable design will ensure long term use without damage or downtime.
- Can be linked together for longer runs - up to 1500'.

KEY FEATURES

- Extended lifetime (50,000 hours or 24/7 use for 5 years)
- Directional light emission (all light emitted is directed on work area).
- Instant start-up at full output, even in cold weather.
- Rapid on-off cycling capability.
- Bright natural colour light is easy for the human eye to use indoors and outdoors.

INDUSTRIES/APPLICATIONS

- Construction
- Tunnel lighting
- Mining
- Tank manufacturing and maintenance
- Military



Scan for more info!

Maximize the efficiency and cost savings on your job site with Lind Equipment's LED stringlights. With all the benefits of LED, such as low energy usage and no bulb changes, the Lind LED stringlights are built to withstand the toughest environments. Each lamp is equipped with a high output LED lamp array which provides more useable light than a 100W incandescent bulb yet only consumes a fraction of the energy. Lind's LED stringlights can be daisy-chained up to 1500'.

Extend the value of your current stringlights by retrofitting them with Lind's LED stringlight replacement LED lamp arrays. The replacement LED lamp array will fit in any standard (E-26) Edison socket.



SPECIFICATIONS	
LED LAMP ARRAY	6.6W High-output LED lamp array with standard Edison (E-26) base.
REPLACEMENT LED LAMP ARRAY	Part Number: TLS-LED ▪ Fits standard Edison sockets
LIGHT OUTPUT	TLS-100LED: 2600 Lumens (more useable light than 100' traditional incandescent stringlights) TLS-50LED: 1300 Lumens (more useable light than 50' traditional incandescent stringlights)
CONSTRUCTION	Heavy duty ABS housing with polycarbonate lens.
CORD TYPE	TLS-100LED: 100' 12/2 STW cable, 120V, 1-15P & 1-15R TLS-50LED : 50' 12/3 STW cable, 120V, 5-15P & 5-15R
OVERALL LENGTH	TLS-100LED: 100' ▪ TLS-50LED: 50'
UNIT WEIGHT	TLS-100LED: 31 lbs ▪ TLS-50LED: 16 lbs
APPROVALS	cULus

